



messe**augsburg**

Conference Center – 1st floor

Technical data sheet

Room 1.20

Hall foyer

Ground floor entrance area with signage to the ground floor entrance or walkways to Hall 7 and the Schwabenhalle (Hall 1) foyer

Technical data

Main usable area	771.63 m ²
Usable room height	2.80–3.00 m

Load capacity

Carpet	500 kg/m ²
Tiles	500 kg/m ²

Doors

People doors (all emergency exit)

2 People doors (2-leaf) Vestibule east	1.64 x 2.10 m
2 People doors (2-leaf) Doors to the walkway Schwabenhalle (Hall 1)	1.83 x 2.10 m
2 People doors (2-leaf) Doors to the walkway Hall 7	1.95 x 2.10 m

Stairs

Stair width (width of emergency exit)	1.96 m
---------------------------------------	--------

Supply

Sockets

- 24 x Schuko 16 A
- 4 x CEE 16 A plugs
- 4 x CEE 32 A plugs

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network visitor access with bandwidth restriction per user	✓
Wireless network on request, can also be provided as a non-public access point for individual events	✓

Equipment

Heating Tube radiators / convector radiators

Min. room temperature 19 C°

Air conditioning ✓

Lighting Round lamps/tracking

Floor Carpet/tiled floor

Other Elevator, max. 8 persons/630 kg

Info signs / digital signage

- 1 x monitor 49"
- Samsung PH49f Full HD
- LED 60Hz E-LED blue
- Resolution 1,920 x 1,080
- 16:9
- Can be controlled via FrontFace

Seating

Room no.	Type	Row seating
1.20	Foyer	400

Room 1.13

Conference room, ground floor

Ground floor conference room – space can be resized with mobile partition walls

Technical data

Conference room total	144.58 m ²
Conference room partitioned	72.52 m ²
Usable room height	3.00 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

Usable door width/height

Interior doors partition wall to the foyer	0.90 x 2.05 m
Emergency exits to the outside section	0.95 x 2.10 m

Supply

Sockets

- 10 x 16 A Schuko plugs

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network visitor access with bandwidth restriction per user	✓
Wireless network on request, can also be provided as a non-public access point for individual events	✓

Equipment

Heating	Tube radiators/convactor radiators
Min. room temperature	19 C°
Air conditioning	✓
Lighting	Conference lighting/ lighting to take notes
Floor	Carpet
Other	Full blackout

Seating

Room no.	Type	Row seating
1.13	Conference room	100

Room 1.15, 1.16, 1.18, 1.19

2 offices south, 2 offices north

Ground floor offices

Technical data

Main usable area	28.00 m ²
Usable room height	3.00 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

Usable door width/height

Interior doors to the hall foyer	0.90 x 2.05 m
----------------------------------	---------------

Supply

Sockets

- 3 x Schuko 16 A plugs

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network	✓
visitor access with bandwidth restriction per user	
Wireless network	✓
on request, can also be provided as a non-public access point for individual events	

Equipment

Heating	Tube radiators/convactor radiators
Min. room temperature	19 C°
Air conditioning	✓
Lighting	Specular louver luminaires
Floor	Carpet

Seating

Room no.	Type	Row seating
1.15	Office	12–15
1.16	Office	15–20
1.18	Office	15–20
1.18	Office	15–20

General information

Emergency exits (width)

2 Emergency exits (2-leaf) vestibule east	1.64 m
2 Emergency exits (2-leaf) to the walkway Hall 7	1.95 m
1 Emergency exit (1-leaf) out of the walkway Hall 7 to the outdoor exhibition grounds	1.80 m
1 Emergency exit (1-leaf) out of the walkway Hall 7 to the parking spaces	1.86 m
4 Emergency exits (2-leaf) from the walkway into Hall 7 No emergency exit, as the doors open in the direction of the conference center	1.70 m
2 Emergency exits (2-leaf) to the walkway Hall 1	1.83 m
4 Emergency exits (2-leaf) out of the walkway Hall 1 to the outdoor exhibition grounds	1.50 m
1 Emergency exit (1-leaf) out of the walkway Hall 1 to the forecourt	0.70 m
2 Emergency exits (2-leaf) out of the walkway Hall 1 to the forecourt	1.50 m

Toilets

	Women	Men
Hand basins	6	6
Toilet seats	12	5
Urinals	0	8
Disabled toilets	1	1
Baby changing roomt	1	1