



messe**augsburg**

Conference Center – 2nd floor

Technical data sheet

Room 2.1

Office – meeting upper floor

Offices with mobile partition walls. When combined, the offices form a large meeting room/conference room

Technical data

Main usable area	250.84 m ²
Usable room height	3.00–3.20 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

Usable door width/height

Interior door to the lobby	1.90 x 2.05 m
Door to the emergency stairs	0.99 x 2.40 m

Supply

Sockets

- 17 x Schuko 16 A plugs

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network	visitor access with bandwidth restriction per user ✓
Wireless network	on request, can also be provided as a non-public access point for individual events ✓

Equipment

Heating	Convactor radiators
Min. room temperature	19 C°
Air conditioning	✓
Lighting	Conference lighting / lighting to take notes
Floor	Carpet
Other	Elevator, max. 8 persons / 630 kg

Stumpfl screen

- Ceiling mounted
- automatic roll-up system
- 320 x 240 cm

LCD projector Panasonic PT-EZ570E

- ceiling mounted
- 5,000 Ansi Lumens
- resolution 1,929 x 1,200

Barco ClickShare

- Wireless presentation and conference system
- USB ClickShare button

Seating

Room no.	Type	Row seating	U-shaped seating	Notes
2.1	Panorama room	180	102	–

Room 2.10, 2.11, 2.12

Office – meeting upper floor

Offices with mobile partition walls. When combined, the offices form a large meeting room/conference room

Technical data

Room 2.12	26 m ²
Room 2.11	70 m ² (2 x 35 m ²)
Room 2.10	29 m ²
Usable room height	3.00 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

Usable door width/height

Interior door to corridor	0.93 x 2.05 m
---------------------------	---------------

Supply

Sockets

Room 2.10	5 x Schuko 16 A plugs
Room 2.11	14 x Schuko 16 A plugs
Raum 2.12	5 x Schuko 16 A plugs

Seating

Room no.	Type	Row seating	U-shaped seating	Notes
2.10–2.12	Conference room	80	64	Can also be booked as individual offices

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s

Wireless network ✓
 visitor access with bandwidth restriction per user

Wireless network ✓
 on request, can also be provided as a non-public access point for individual events

Equipment

Heating	Tube radiators
Min. room temperature	19 C°
Air conditioning	✗
Lighting	Specular louver luminaires
Floor	Carpet

Room 2.13, 2.14, 2.15

Office – meeting

Upper floor offices

Technical data

Main usable area	28.20 m ²
Usable room height	3.00 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

People door

Interior doors to the corridor	0.90 x 2.05 m
--------------------------------	---------------

Supply

Sockets

- 5 x Schuko 16 A plugs

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network	visitor access with bandwidth restriction per user ✓
Wireless network	on request, can also be provided as a non-public access point for individual events ✓

Equipment

Heating	Tube radiators
Min. room temperature	19 C°
Air conditioning	✗
Lighting	Specular louver luminaires
Floor	Carpet

Seating

Room no.	Type	Row seating	U-shaped seating	Notes
2.13	Office	15–20		Block: 12 people
2.14	Office	15–20		Block: 12 people
2.15	Office	15–20		Block: 12 people

Room 2.24

Conference room

Upper floor room which can be resized using a partition wall in the large conference room

Technical data

Version A: Conference room divided	212.32 m ²
Version B: Conference room total	384.83 m ²
Usable room height	3.00–3.20 m

Load capacity

Carpet	500 kg/m ²
--------	-----------------------

Doors

Usable door width/height

Interior door to lobby 2.1	0.90 x 2.05 m
2 Interior doors to corridor	1.90 x 2.05 m

Supply

Sockets

- 27 x Schuko 16 A plugs
- 3 x CEE 16 A plugs

Seating

Room no.	Type	Row seating	U-shaped seating	Notes
2.24 (A+B)	Conference room	382	220	A and B can also be booked separately

Communication technology

IP connection	symmetrical 5 Mbit / s
IP connection	symmetrical 10 Mbit / s
Business IP connection	symmetrical 50 Mbit / s
Business IP connection	symmetrical 100 Mbit / s
Wireless network visitor access with bandwidth restriction per user	✓
Wireless network on request, can also be provided as a non-public access point for individual events	✓

Equipment

Heating	Tube radiators/convector radiators/ panel radiators
Min. room temperature	19 C°
Air conditioning	✓
Lighting	Conference lighting/ lighting to take notes
Floor	Carpet

General information

Emergency exits (width)

Stair width of the emergency exit
into the ground floor foyer 1.96 m

Width of emergency stairs
into the outdoor exhibition grounds 2.00 m

Emergency exit panorama room 0.99 m

Toilets

	Women	Men
Hand basins	2	2
Toilet seats	6	3
Urinals	0	5